OYH AUSTRALIA

SAFETY INFORMATION

Product: VASA™ Tile Adhesive Flex HP 230

Product Type: High-performance flexible cement-based tile adhesive

This document is a website-ready safety information summary based on the available product technical information. For full regulatory and workplace requirements, always refer to the official Safety Data Sheet (SDS).

Company and Product Use Information

Item	Details
Company Name	OYH AUSTRALIA
NSW Address	Unit 6B, 175 James Ruse Dr, Camellia NSW 2142
VIC Address	11 Pascal Road, Seaford VIC 3149
Telephone Number	Sydney: 02 9909 6010 Melbourne: 03 9794 0011
Emergency Phone Number	NSW: 0452 661 821 VIC: 0466 584 658
Recommended Use of the Chemical and Restrictions on Use	Tile adhesive. Use only as directed for tile installation applications. Not intended for any other use unless confirmed in writing by the supplier or manufacturer.

Safety Overview



Hazard pictograms

This product contains cement and may cause irritation to the skin and eyes. Dust may also cause irritation during handling and mixing. Use appropriate personal protective equipment during mixing, application and cleanup.

Personal Protective Equipment

- Wear protective gloves when handling or applying the product.
- Wear suitable eye protection to prevent accidental contact with eyes.
- Use a dust mask or suitable respiratory protection when mixing powder or working in dusty conditions.
- Wear appropriate work clothing and wash hands after use.

First Aid Information

Exposure	Recommended Action
Eye contact	Rinse immediately with clean water. Seek medical attention promptly if irritation persists.
Skin contact	Wash affected area with clean water. Remove contaminated clothing if required.
Inhalation of dust	Move to fresh air. Seek medical advice if discomfort continues.
Ingestion	Rinse mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical advice if required.

Safe Handling

- Avoid contact with eyes and prolonged contact with skin.
- Avoid generating or inhaling dust during mixing.
- Do not mix the product with other materials unless specifically recommended by the manufacturer.
- Use only in accordance with the product installation instructions.
- Keep out of reach of children.

Storage Requirements

- Store unopened bags in a cool, dry and well-ventilated area.
- Keep away from moisture, direct sunlight and water contact.
- Do not store where bags may be damaged by impact or rain exposure.
- Under correct storage conditions, the product has a shelf life of 12 months from the date of manufacture.

Transportation and Packaging

Handle with care during transportation to avoid impact, rain exposure or damage to the packaging.

The product may be supplied with protective wrapping film and wooden supports at the base to help protect the packaging from water, dust and moisture during transport and storage. Do not remove or damage the packaging before use. Wrapping film and wooden supports may not be included for smaller quantity orders.

Cleaning and Disposal

- Clean tools and tile surfaces with water while the adhesive is still fresh.
- Hardened adhesive must be removed mechanically.
- Dispose of product residue and packaging in accordance with local regulations and site requirements.

Important Notes

- This Safety Information document is a summary and does not replace the official Safety Data Sheet.
- Users must assess the product’s suitability for the intended application and site conditions.
- Refer to the latest Technical Data Sheet and Safety Data Sheet before use.

Disclaimer

The information provided in this Safety Information document is based on the manufacturer’s current knowledge and technical experience. It is intended as general guidance only. OYH Australia and VASA™ are

not liable for incorrect use, unsuitable application, or failure to follow the latest official product documentation and relevant local requirements.